Author Index

Abdulmuin M Z 131-138
Aldis C A 75-93
Azlan A 47-53

Bannister R L 351-362
Beattie W C 431-447
Beedie D 35-45
Berg H P 345-350
Bidini G 223-232
Brzeski L 363-371
Burrows C R 105-120
Burton J D 279-293

Chen H 149-156,397-408
Coton F N 65-74

Daragheh M 203-211,449-462
Darkwa K 3-14
Dasgupta K 423-429
Davies D G 279-293
Desideri U 223-232

Etemad M R 263-272

Fick W 383-395
Ford N W J 183-190
French M J 273-277

Galbraith R A McD 65-74
Georgin E 253-261
Godichon A 413-421
Gollahalli S R 373-382
Gordon M H 477-479
Griffiths A J 383-395
Gundavelli S 373-382

Hakeem I 397-408
Hall J 263-272
Horlock J H 191-202
Hughes R A 15-24

Jiang D 65-74
Johnson M C 477-479

Karlsson T 139-147
Kazimierski Z 363-371
Kelkar U M 477-479
Kirke B K 213-221
Komori S 463-471
Kuznetsov A V 157-163

Ladommatos N 203-211
Loveday D L 165-176

McDonald J R 253-261
Maiti R 423-429
Martinez-Botas R F 397-408
Masjuki H H 47-53,131-138
Mendis K J S 203-211,449-462
Morris W D 55-63
Mukherjee A 423-429

Newby R A 351-362
Ntoko N M 233-236

O'Callaghan P W 3-14
O'Doherty T 35-45,383-395

Parker G J 121-129
Prasad A 373-382
Pullen K 263-272

Raghunathan S 431-447
Ramsay B 15-24
Ricard B 253-261
Rix D H 25-33
Robson A 335-343
Rossini C 15-24

Sabbatini F 223-232
Sage P W 183-190
Saha T K 305-318,319-327
Sapuan S M 47-53
Sii H S 131-138
Smith I K 75-93
Soundranayagam S 305-318,319-327
Stokes P R 95-98
Stone C R 203-211,449-462
Stošić N 75-93
Syred N 35-45,383-395

Taki A H 165-176

Volland U 345-350

Wang Y 463-471
Waring R 263-272
Weil L 345-350

Xu Z 463-471

Yedidiah S 237-244
Young B W 245-248,295-303

© IMechE 1996

Subject Index

Aerodynamic analysis 431-447
Aerodynamic design, quasi-three-dimensional 149-156
Aerodynamic model, three-dimensional 65-74
Aerodynamics 65-74
ALARA - *see* As Low As Reasonably Achievable
Anenometry, laser Doppler 383-395
As Low As Reasonably Achievable 335-343
Asymmetric heat transfer 55-63
Axial fans 413-421
Axial flow blades 237-244
Axial flow turbines 121-129

BATNEEC - *see* Best Available Techniques Not Entailing Excessive Cost
Bernoulli-with-loss equation 121-129
Best Available Techniques Not Entailing Excessive Cost 335-343
Best Practicable Environmental Option 335-343
Biomass stoves, fixed-bed 35-45
Biplane Wells turbine 431-447
Blade circulation 319-327
Blade design, rotor 65-74
Blade geometry 237-244
Blade geometry design 463-471
Blades, axial flow 237-244
Bondgraph model 423-429
Boundary layer, three-dimensional 463-471
Boundary layers 413-421
BPEO - *see* Best Practicable Environmental Option
Brake efficiency 449-462
Bramah, Joseph 105-120
Building facades 165-176
Buoyancy, centripetal 55-63
Burner rim stability 373-382
Burners, swirl 383-395

Carbon dioxide 3-14
Carbon monoxide 3-14
Casings design, spiral volute 149-156
Centrifugal compressor impeller 463-471
Centrifugal fans 413-421
Centrifugal impellers 413-421
Centrifugal pump dissipation characteristics 233-236
Centripetal buoyancy 55-63
Channels, cooling 55-63
CHP - *see* Combined heat and power
Clean coal technology 351-362
Cleaning, hot gas 351-362
Clearance, tip 305-318,319-327
Coal seeded gas jet flames 373-382
Coal technology, clean 351-362
Coal-fired turbine cycle, indirect 351-362
Coal-fuelled combined cycles 351-362
Coefficients, surface convection 165-176
Co-generation 25-33,203-211
Combined cycle, gasification 351-362
Combined cycles, coal-fuelled 351-362
Combined heat and power 15-24,25-33
Combustion, fluidized bed 351-362
Combustion system, fast burn high compression ratio 203-211,449-462
Compressor coupling, turbine- 223-232
Compressor impeller, centrifugal 463-471
Computer simulation 223-232,363-371
Contra-rotating Wells turbine 431-447
Convection coefficients, surface 165-176
Cooling channels 55-63
Coriolis effect 319-327
Coriolis forces 55-63
Cost effectiveness 263-272
Couplings, disc type magnetic 263-272

Decision analysis modelling 15-24
Design, blade geometry 463-471
Design, history fluid power systems 105-120
Design, hydraulic ram pump 295-303
Design, quasi-three-dimensional aerodynamic 149-156
Design, rotor blade 65-74
Design, spiral volute casings 149-156
Desulphurization 183-190
Developed head 237-244
Diesel engines 131-138
Diesel fuel substitute, palm oil 47-53
Disc type magnetic couplings 263-272
Dissipation characteristics, centrifugal pump 233-236
Dittus-Boelter equation 139-147
Domestic scale combined heat and power 25-33
Doppler anenometry, laser 383-395
Draft tubes 121-129
Dynamic model 279-293

Emissions, exhaust 3-14,131-138
Emissions, nitrogen oxide 3-14,203-211,383-395,449-462
Emissions, sulphur dioxide 183-190
Emissions, unburnt hydrocarbon 203-211,449-462
Energy consumption 3-14
Engine, externally heated valve 363-371
Engine, lean burn gas 449-462
Engine, two-stroke 363-371
Engines, Stirling 25-33,363-371
Enthalpy, liquid 191-202
Enthalpy, local 191-202
Epitrochoid generated orbital rotary piston machine 423-429
Exhaust emissions 3-14,131-138
Exposure control, radiation 335-343
Externally heated valve engine 363-371

Fans, axial 413-421
Fans, centrifugal 413-421
Fast burn high compression ratio combustion system 203-211,449-462
Fault diagnosis, turbine generator 253-261

© IMechE 1996

FBHCR - *see* Fast burn high compression ratio combustion system
Fixed-bed biomass stoves 35-45
Fixed-bed gasifier stoves 35-45
Flame base structure 373-382
Flames, coal seeded gas jet 373-382
Flow angles 319-327
Flow field, quasi-three-dimensional potential 413-421,463-471
Flow loss, turbomachinery 413-421
Flow pump, mixed 305-318,319-327
Flow reversal, inlet 305-318
Flow simulation, unsteady 397-408
Flow, three-dimensional 55-63,305-318
Flow zone, reversed 383-395
Fluid power systems design, history of 105-120
Fluidized bed combustion 351-362
Fortran computer program 263-272
Four-dimensional torque 263-272

Gas cleaning, hot 351-362
Gas engine, lean burn 449-462
Gas engines, low emissions 203-211
Gas jet flames, coal seeded 373-382
Gas turbine rotor blades 55-63
Gas turbine seal 477-479
Gasification combined cycle 351-362
Gasifier stoves, fixed-bed 35-45
Geometry design, blade 463-471
Geothermal energy 139-147,223-232

Heat exchangers, plate 139-147
Heat transfer, asymmetric 55-63
Heat transformers metal hydride 157-163
High compression ratio combustion system, fast burn 203-211,449-462
High-torque hydraulic motor, orbital rotor low-speed 423-429
High torques 223-232
History of fluid power systems design 105-120
Hot gas cleaning 351-362
Hydrocarbon emissions, unburnt 203-211,449-462
Hydraulic motor, orbital rotor low-speed high-torque 423-429
Hydraulic ram pump design 295-303
Hydraulic ram pump sizing 245-248
Hydrodynamics, wave 273-277

Impeller, centrifugal compressor 463-471
Impeller geometry, radial flow 237-244
Impellers, centrifugal 413-421
Indirect coal-fired turbine cycle 351-362
Injection technique, sorbent 183-190
Inlet flow reversal 305-318
Inlet guide vanes 121-129
Inlet prerotation 305-318
Insulating liners 95-98
Investment appraisal 15-24
Inviscid-viscous method 463-471

Laser Doppler anenometry 383-395
Lean burn engines 203-211
Lean burn gas engine 449-462
Lift pump, wind-driven 279-293
Lift rods 279-293
Lift-off 373-382
Liners, insulating 95-98
Liquid enthalpy 191-202
Loads, non-electrical 213-221
Loads, wind turbine 213-221
Local enthalpy 191-202
Loss distribution 319-327
Low emissions gas engine 203-211
Low-speed high-torque hydraulic motor, orbital rotor 423-429
Lysholm twin screw engine 75-93

Magnetic couplings, disc type 263-272
Mathematical model 157-163
Metal hydride heat transformers 157-163
Methyl ester viscosity, palm oil 131-138
Microhydro turbines 121-129
Mixed flow pump 305-318,319-327
Model, Bondgraph 423-429
Model, dynamic 279-293
Model, mathematical 157-163
Model, three-dimensional aerodynamic 65-74
Model, tongue loss 149-156
Modelling decision analysis 15-24
Modelling, thermodynamic 449-462
Modelling, turbocharger turbine 397-408
Mullions 165-176

Natural gas 25-33
Nitrogen oxide emissions 3-14,203-211,383-395,449-462
Non-electrical loads 213-221
Nuclear power plant 345-350
Nuclear safety requirements 345-350
Numerical analysis 139-147

'O'-ring seals 95-98
Orbital rotary piston machine, epitrochoid generated 423-429
Orbital rotor low-speed high-torque hydraulic motor 423-429

Palm oil diesel fuel substitute 47-53
Palm oil methyl esters 131-138
Phase-averaged temperature 383-395
Piston machine, epitrochoid generated orbital rotary 423-429
Piston steam engines 95-98
Plate heat exchangers 139-147
Pollution, road transport 3-14
Pollution regulation 335-343
Polytetrafluoroethylene 95-98
POME - *see* Palm oil methyl esters
Potential flow field, quasi-three-dimensional 413-421,463-471

© IMechE 1996

Precessing vortex core 383-395
Prerotation, inlet 305-318
Pump design, hydraulic ram 295-303
Pump dissipation characteristics, centrifugal 233-236
Pump, 53 mm Wilcox 245-248
Pump, mixed flow 305-318,319-327
Pump sizing, hydraulic ram 245-248
Pump, wind-driven lift 279-293
Pumps, wind-driven water 279-293

Quasi-three-dimensional aerodynamic design 149-156
Quasi-three-dimensional potential flow field 413-421,463-471

Radial flow impeller geometry 237-244
Radiation exposure control 335-343
Ram pump design, hydraulic 295-303
Ram pump sizing, hydraulic 245-248
Regulation, pollution 335-343
Residential heating 139-147
Reversed flow zone 383-395
Riser support 279-293
Road transport pollution 3-14
Rotating tests 55-63
Rotor blade design 65-74
Rotor blades, gas turbine 55-63
Rotor low-speed high-torque hydraulic motor, orbital 423-429

Safety requirements, nuclear 345-350
Schaffs assumption 191-202
Screw expanders, two-phase 75-93
Seal, gas turbine 477-479
Seal, steam turbine 477-479
Seals, 'O'-ring 95-98
Sieder-Tate equation 139-147
Simulation, computer 223-232,363-371
Simulation, unsteady flow 397-408
Smart systems 253-261
Sorbent injection technique 183-190
Spiral volute casings design 149-156
Stability, burner rim 373-382
Steady state performance 423-429
Steam engines, piston 95-98
Steam turbine seal 477-479
Steam turbine trips 223-232
Steam turbines 191-202
Stirling engines 25-33,363-371
Straight-bladed vertical axis wind turbines 65-74
Substitute, palm oil diesel fuel 47-53
Sulphur dioxide emissions 183-190
Surface convection coefficients 165-176
Swirl burners 383-395

Tadpole 273-277
Temperature, phase-averaged 383-395
Thermal power plant 413-421
Thermodynamic modelling 449-462
Thermodynamics 191-202
Three-dimensional aerodynamic design, quasi- 149-156
Three-dimensional aerodynamic model 65-74
Three-dimensional boundary layer 463-471
Three-dimensional flow 55-63,305-318
Three-dimensional potential flow field, quasi- 413-421,463-471
Tip clearance 305-318,319-327
Tongue loss model 149-156
Torque, four-dimensional 263-272
Torque hydraulic motor, orbital rotor low-speed high- 423-429
Torques, high 223-232
Trilateral flash cycle system 75-93
Trips, steam turbine 223-232
Turbine-compressor coupling 223-232
Turbine, contra-rotating Wells 431-447
Turbine cycle, indirect coal-fired 351-362
Turbine generator fault diagnosis 253-261
Turbine modelling, turbocharger 397-408
Turbine seal, gas 477-479
Turbine seal, steam 477-479
Turbines, axial flow 121-129
Turbines, microhydro 121-129
Turbines, steam 191-202
Turbines, turbocharger 149-156
Turbocharger turbine modelling 397-408
Turbocharger turbines 149-156
Turbomachinery flow loss 413-421
Turbulence wake theory 149-156
Twin screw engine, Lysholm 75-93
Two-phase screw expanders 75-93
Two-stroke engine 363-371

Unburnt hydrocarbon emissions 203-211,449-462
Unsteady flow simulation 397-408
Upgrading waste heat 157-163

Valve engine, externally heated 363-371
Vanes, inlet guide 121-129
Vapour power cycles 191-202
Vertical axis wind turbines, straight-bladed 65-74
Viscosity, palm oil methyl ester 131-138
Volatile organic compounds 3-14
Volute casings design, spiral 149-156

Wake theory, turbulence 149-156
Waste heat upgrading 157-163
Water pumps, wind-driven 279-293
Wave energy 273-277,431-447
Wave hydrodynamics 273-277
Wells turbine, biplane 431-447
Wells turbine, contra-rotating 431-447
Westinghouse Electric Corporation 351-362
Wilcox pump, 53 mm 245-248
Wind turbine loads 213-221
Wind turbines, straight-bladed vertical axis 65-74
Wind-driven lift pump 279-293
Wind-driven water pumps 279-293

© IMechE 1996